

## Publicaties Frank Berendse

### Internationale wetenschappelijke tijdschriften:

- Berendse, F. (1979). Competition between plant populations with different rooting depths. I. Theoretical considerations. *Oecologia* 43: 19-26.
- Berendse, F. (1981). Competition between plant populations with different rooting depths. II. Pot experiments. *Oecologia* 48: 334-341.
- Berendse, F. (1981). Competition and equilibrium in grassland communities. PhD Thesis, Utrecht University. 151 p.
- Berendse, F. (1982). Competition between plant populations with different rooting depths. III. Field experiments. *Oecologia* 53: 50-55.
- Troelstra, S.R., Berendse, F. (1982). Root CEC determinations to establish root biomasses of two plant species grown in mixtures. *Plant and Soil* 64: 277-281.
- Berendse, F. (1983). Interspecific competition and niche differentiation between *Plantago lanceolata* and *Anthoxanthum odoratum* in a natural hayfield. *Journal of Ecology* 71: 379-390.
- Vermeer, J.G., Berendse, F. (1983). The relationship between nutrient availability, shoot biomass and species richness in grassland and wetland communities. *Vegetatio* 53: 121-126.
- Berendse, F. (1984). Erratum. *Journal of Ecology* 72(1): 368.
- Berendse, F., Aerts, R. (1984). Competition between *Erica tetralix* L. and *Molinia caerulea* (L.) Moench as affected by the availability of nutrients. *Oecologia Plantarum* 5: 3-14.
- Bosatta, E., Berendse, F. (1984). Energy or nutrient regulation of decomposition: implications for the mineralization-immobilization response to perturbations. *Soil Biology & Biochemistry* 16: 63-67.
- Berendse, F. (1985). The effect of grazing on the outcome of competition between plant species with different nutrient requirements. *Oikos* 44: 35-39.
- Tietema, A., Kuikman, P., Berendse, F. (1985). Mass loss, nutrient dynamics and influence of Diptera larvae in decomposing litter of *Erica tetralix* and *Molinia caerulea*. *Pedobiologia* 28: 389-397.
- Berendse, F., Berg, B., Bosatta, E. (1987). The effect of lignin and nitrogen on the decomposition of litter in nutrient-poor ecosystems: a theoretical approach. *Canadian Journal of Botany* 65: 1116-1120.
- Berendse, F., Oudhof, H., Bol, J. (1987). A comparative study on nutrient cycling in wet heathland ecosystems. I. Litter production and nutrient losses from the plant. *Oecologia* 74: 174-184.
- Berendse, F., Aerts, R. (1987). Nitrogen-use-efficiency: a biologically meaningful definition? *Functional Ecology* 1: 293-296.
- Berendse, F., Beltman, B., Bobbink, R., Kwant, R., Schmitz, M. (1987). Primary production and nutrient availability in wet heathland ecosystems. *Oecologia Plantarum* 8: 265-279.
- Berendse, F., Laurijsen, C., Okkerman, P. (1988). The acidifying effect of ammonia volatilized from farm manure on forest soils. *Ecological Bulletins* 39: 136-138.
- Berendse, F., Bobbink, R., Rouwenhorst, G. (1989). A comparative study on nutrient cycling in wet heathland ecosystems. II. Litter decomposition and nutrient mineralization. *Oecologia* 78: 338-348.
- Berendse, F. (1988). Erratum. *Canadian Journal of Botany* 66: 400.
- Aerts, R., Berendse, F. (1988). The effect of increased nutrient availability on vegetation dynamics in wet heathlands. *Vegetatio* 76: 63-69.
- Aerts, R., Berendse, F. (1989). Above-ground nutrient turnover and net primary production of an evergreen and a deciduous species in a heathland ecosystem. *Journal of Ecology* 77: 343-356.
- Aerts, R., Berendse, F., Klerk, N.M., Bakker, C. (1989). Root production and root turn-over in two dominant species of wet heathlands. *Oecologia* 81: 374-378.
- Berendse, F. (1990). Organic matter accumulation and nitrogen mineralization during secondary succession in heathland ecosystems. *Journal of Ecology* 78: 413-427.
- Aerts, R., Berendse, F., de Caluwe, H., Schmitz, M. (1990). Competition in heathland along an experimental gradient of nutrient availability. *Oikos* 57: 310-318.
- Berendse, F., Elberse, W.Th., Geerts, R.H.E.M. (1992). Competition and nitrogen loss from plants in grassland ecosystems. *Ecology* 73: 46-53.
- Berendse, F., Oomes, M.J.M., Altena, H.J., Elberse, W.Th. (1992). Experiments on the Restoration of Species-Rich Meadows in the Netherlands. *Biological Conservation* 62: 59-65.
- van Vuuren, M.M.I., Aerts, R., Berendse, F., de Visser, W. (1992). Nitrogen mineralization in heathland ecosystems dominated by different plant species. *Biogeochemistry* 16: 151-166.
- Elberse, W.Th., Berendse, F. (1993). A comparative study of the growth and morphology of eight grass species from habitats with different nutrient availabilities. *Functional Ecology* 7: 223-229.

- van Vuuren, M.M.I., Berendse, F., de Visser, W. (1993). Species and site differences in the decomposition of litters and roots from wet heathlands. *Canadian Journal of Botany* 71: 167-173.
- van Vuuren, M.M.I., Berendse, F. (1993). Changes in soil organic matter and net nitrogen mineralization in heathland soils, after removal, addition or replacement of litter from *Erica tetralix* or *Molinia caerulea*. *Biology and Fertility of Soils* 15: 268-274.
- Berendse, F., Oomes, M.J.M., Altena, H.J., de Visser, W. (1994). A comparative study of nitrogen flows in two similar meadows affected by different groundwater levels. *Journal of Applied Ecology* 31: 40-48.
- Berendse, F. (1994). Litter decomposability: a neglected component of plant fitness. *Journal of Ecology* 82: 187-190.
- Berendse, F. (1994). Competition between plant populations at low and high nutrient supplies. *Oikos* 71: 253-260.
- Berendse, F., Schmitz, M., de Visser, W. (1994). Experimental manipulation of succession in heathland ecosystems. *Oecologia* 100: 38-44.
- Olff, H., Berendse, F., de Visser, W. (1994). Changes in nitrogen mineralization, tissue nutrient concentrations and biomass compartmentation after cessation of fertilizer application to mown grassland. *Journal of Ecology* 82: 611-620.
- Bloemhof, H.S., Berendse, F. (1995). Simulation of the decomposition and nitrogen mineralization of aboveground plant material in two unfertilized grassland ecosystems. *Plant and Soil* 177: 157-173.
- Howarth, R.W., Berendse, F. et al. (1996). Regional nitrogen budgets and riverine N & P fluxes for the drainages to the North Atlantic Ocean: Natural and human influences. *Biogeochemistry* 35: 75-139.
- Vazquez de Aldana, B.R., Geerts, R., Berendse, F. (1996). Nitrogen losses from perennial grass species. *Oecologia* 106: 137-143.
- Vazquez de Aldana, B.R., Berendse, F. (1997). Nitrogen-use-efficiency in six perennial grasses from contrasting habitats. *Functional Ecology* 11: 619-626.
- Berendse, F. (1998). Effects of dominant plant species on soils during succession in nutrient-poor ecosystems. *Biogeochemistry* 42: 73-88.
- Berendse, F., Lammerts, E.J., Olff, H. (1998). Soil organic matter accumulation and its implications for nitrogen mineralization and plant species composition during succession in coastal dune slacks. *Plant Ecology* 137: 71-78.
- Arp, W.J., van Mierlo, J.E.M., Berendse, F., Snijders, W. (1998). Interactions between elevated CO<sub>2</sub> concentration, nitrogen and water: effects on growth and water use of six perennial plant species. *Plant, Cell & Environment* 21: 1-11.
- Fransen, B., de Kroon, H., Berendse, F. (1998). Root morphological plasticity and nutrient acquisition of perennial grass species from habitats of different nutrient availability. *Oecologia* 115: 351-358.
- van Breemen, N., Jenkins, A., Wright, R.F., Beerling, D.J., Arp, W.J., Berendse, F., Beier, C., Collins, R., van Dam, D., Rasmussen, L., Verburg, P.S.J., Wills, M.A. (1998). Impacts of elevated carbon dioxide and temperature on a boreal forest ecosystem (CLIMEX project). *Ecosystems* 1: 345-351.
- Berendse, F. (1999). Implications of increased plant litter production for the species diversity in plant communities. *Trends in Ecology and Evolution* 14: 4-5.
- Bakker, J.P., Berendse, F. (1999). Constraints in the restoration of ecological diversity in grassland and heathland communities. *Trends in Ecology and Evolution* 14: 63-68.
- van Oene, H., van Deursen, E.J.M., Berendse, F. (1999). Plant-herbivore interaction and its consequences for succession in wetland ecosystems: A modeling approach. *Ecosystems* 2: 122-138.
- van Oene, H., Berendse, F., de Kovel, C.G.F. (1999). Model analysis of the effects of historic CO<sub>2</sub> levels and nitrogen inputs on vegetation succession. *Ecological Applications* 9: 920-935.
- Roem, W.J., Berendse, F. (2000). Soil acidity and nutrient supply ratio as possible factors determining changes in plant species diversity in grassland and heathland communities. *Biological Conservation* 92: 151-161.
- Wardle, D.A., Huston, M.A., Grime, J.P., Berendse, F., Garnier, E., Lauenroth, W.K., Setälä, H., Wilson, S.D. (2000). Biodiversity and Ecosystem Function: An Issue in Ecology. *Ecological Bulletin ESA* 81: 235-239.
- van Mierlo, J.E.M., Wilms, Y.J.C., Berendse, F. (2000). Effects of soil organic matter and nitrogen supply on competition between *Festuca ovina* and *Deschampsia flexuosa* during inland dune succession. *Plant Ecology* 148: 51-59.
- de Kovel, C.G.F., van Mierlo, A.J.E.M., Wilms, Y.J.O., Berendse, F. (2000). Carbon and nitrogen in soil and vegetation at sites differing in successional age. *Plant Ecology* 149: 43-50.
- Berendse, F., van Breemen, N., Rydin, H., Buttler, A., Heijmans, M., Hoosbeek, M.R., Lee, J.A., Mitchell, E., Saarinen, T., Vasander, H., Wallén, B. (2001). Raised atmospheric CO<sub>2</sub> levels and increased N deposition cause shifts in plant species composition and production in *Sphagnum* bogs. *Global Change Biology* 7: 591-598.

- Kleijn, D., Berendse, F., Smit, R., Gilissen, N. (2001). Agri-environment schemes do not effectively protect biodiversity in Dutch agricultural landscapes. *Nature* 413: 723-725.
- Ludwig, F., de Kroon, H., Prins, H.H.T., Berendse, F. (2001). Effects of nutrients and shade on tree-grass interactions in an East African savanna. *Journal of Vegetation Science* 12: 579-588.
- van der Krift, T.A.J., Kuikman, P.J., Möller, F., Berendse, F. (2001). Plant species and nutritional-mediated control over rhizodeposition and root decomposition. *Plant and Soil* 228: 191-200.
- van der Krift, T.A.J., Berendse, F. (2001). The effect of plant species on soil nitrogen mineralization. *Journal of Ecology* 89: 555-561.
- van der Krift, T.A.J., Gioacchini, P., Kuikman, P.J., Berendse, F. (2001). Effects of high and low fertility plant species on dead root decomposition and nitrogen mineralization. *Soil Biology & Biochemistry* 33: 2115-2124.
- Fransen, B., de Kroon, H., Berendse, F. (2001). Soil nutrient heterogeneity alters competition between two perennial grass species. *Ecology* 82: 2534-2546.
- Heijmans, M.M.P.D., Berendse, F., Arp, W.J., Masselink, A.K., Klees, H., de Visser, W., van Breemen, N. (2001). Effects of elevated carbon dioxide and increased N deposition on bog vegetation in the Netherlands. *Journal of Ecology* 89: 268-279.
- Heijmans, M.M.P.D., Arp, W.J., Berendse, F. (2001). Effects of elevated CO<sub>2</sub> and vascular plants on evapotranspiration in bog vegetation. *Global Change Biology* 7: 817-827.
- Hoosbeek, M.R., van Breemen, N., Berendse, F., Grosvernier, P., Vasander, H., Wallén, B. (2001). Limited effect of increased atmospheric CO<sub>2</sub> concentration on ombrotrophic bog vegetation. *New Phytologist* 150: 459-463.
- van der Krift, T.A.J., Kuikman, P.J., Berendse, F. (2002). The effect of living plants on root decomposition of four grass species. *Oikos* 96: 36-45.
- van der Krift, T.A.J., Berendse, F. (2002). Root lifespans of four grass species from habitats differing in nutrient availability. *Functional Ecology* 16: 198-203.
- Roem, W.J., Klees, H., Berendse, F. (2002). Effects of nutrient addition and acidification on plant species diversity and seed germination in heathland vegetation. *Journal of Applied Ecology* 39: 937-948.
- Heijmans, M., Klees, H., Berendse, F. (2002). Competition between *Sphagnum magellanicum* and *Eriophorum angustifolium* as affected by elevated CO<sub>2</sub> and increased N deposition. *Oikos* 97: 415-425.
- Heijmans, M.M.P.D., Klees, H., de Visser, W., Berendse, F. (2002). Effects of increased N deposition on the distribution of <sup>15</sup>N labelled N between *Sphagnum* and vascular plants. *Ecosystems* 5: 500-508.
- Heijmans, M.M.P.D., Klees, H., de Visser, W., Berendse, F. (2002). Response of a *Sphagnum* bog plant community to elevated CO<sub>2</sub> and N supply. *Plant Ecology* 162: 123-134.
- Hoosbeek, M.R., van Breemen, N., Vasander, H., Buttlers, A., Berendse, F. (2002). Potassium limits potential growth of bog vegetation under elevated atmospheric CO<sub>2</sub> and N deposition. *Global Change Biology* 8: 1130-1138.
- Wamelink, G.W.W., Joosten, V., van Dobben, H.F., Berendse, F. (2002). Validity of Ellenberg indicator values judged from physico-chemical field measurements. *Journal of Vegetation Science* 113: 269-278.
- van Ruijven, J., Berendse, F. (2003). Positive effects of plant species diversity on productivity in the absence of legumes. *Ecology Letters* 6: 170-175.
- van Ruijven, J., de Deyn, G.B., Berendse, F. (2003). Diversity reduces invasibility in experimental plant communities: the role of plant species. *Ecology Letters* 6: 910-918.
- Wamelink, G.W.W., van Dobben, H.F., Berendse, F. (2003). Apparently we do need phytosociological classes to calibrate Ellenberg indicator values. *Journal of Vegetation Science* 14: 619-620.
- Limpens, J., Berendse, F., Klees, H. (2003). N deposition affects N availability in interstitial water, growth of *Sphagnum* and invasion of vascular plants in bog vegetation. *New Phytologist* 157: 339-347.
- Limpens, J., Berendse, F. (2003). Growth reduction of *Sphagnum magellanicum* subjected to high nitrogen deposition: the role of amino acid nitrogen concentration. *Oecologia* 135: 339-345.
- Limpens, L., Raymakers, J.T.A.G., Baar, J., Berendse, F., Zijlstra, J.D. (2003). The interaction between epiphytic algae, a parasitic fungus and *Sphagnum* as affected by N and P. *Oikos* 103: 59-68.
- Ludwig, F., Dawson, T.E., de Kroon, H., Berendse, F., Prins, H.H.T. (2003). Hydraulic lift in *Acacia tortilis* trees on an East African Savanna. *Oecologia* 134: 293-300.
- van der Welle, M.E.W., Vermeulen, P.J., Shaver, G.R., Berendse, F. (2003). Factors determining plant species richness in Alaskan arctic tundra. *Journal of Vegetation Science* 14: 711-720.
- Verkley, G.J.M., Zijlstra, J.D., Summerbell, R.C., Berendse, F. (2003). Phylogeny and taxonomy of root-inhabiting *Cryptosporiopsis* species and *C. rhizophila* sp. nov., a fungus inhabiting roots of several *Ericaceae*. *Mycological Research* 107: 689-698.
- Limpens, J., Tomassen, H.B.M., Berendse, F. (2003). Expansion of *Sphagnum fallax* in bogs: striking the balance between N and P availability. *Journal of Bryology* 25: 83-90.

- Limpens, J., Berendse, F. (2003). How litter quality affects mass loss and N loss from decomposing *Sphagnum*. *Oikos* 103: 537-547.
- Berendse, F., Chamberlain, D., Kleijn, D., Schekkerman, H. (2004). Declining biodiversity in agricultural landscapes and the effectiveness of agri-environment schemes. *Ambio* 8: 499-502.
- Limpens, J., Berendse, F., Klees, H. (2004). How phosphorus availability affects the impact of nitrogen deposition on *Sphagnum* and vascular plants in bogs. *Ecosystems* 7: 793-804
- Bakker, E.S., Olf, H., Boekhoff, M., Gleichman, J.M., Berendse, F. (2004). Impact of herbivores on nitrogen cycling: contrasting effects of large and small species. *Oecologia* 138: 91-101.
- Ludwig, F., de Kroon, H., Berendse, F., Prins, H.H.T. (2004). The influence of savanna trees on nutrient, water and light availability and the understorey vegetation. *Plant Ecology* 170: 93-105.
- Ludwig, F., Dawson, T.E., Prins, H.H.T., Berendse, F., de Kroon, H. (2004). Below-ground competition between trees and grasses may overwhelm the facilitative effects of hydraulic lift. *Ecology Letters* 7: 623-631.
- de Deyn, G.B., Raaijmakers, C.E., van Ruijven, J., Berendse, F., van der Putten, W.H. (2004). Plant species identity and diversity effects on different trophic levels of nematodes in the soil food web. *Oikos* 106: 576-586.
- Kleijn, D., Berendse, F., Smit, R., Gilissen, N., Smit, J., Brak, B., Groeneveld, R. (2004). Ecological effectiveness of agri-environment schemes in different agricultural landscapes in the Netherlands. *Conservation Biology* 18: 775-786.
- Sýkora, K., van den Bogert, J.C.J.M., Berendse, F. (2004). Changes in soil and vegetation during dune slack succession. *Journal of Vegetation Science* 15: 209-218.
- Berendse, F. (2005). Impacts of global change on plant diversity and vice versa: Old and new challenges for vegetation scientists. *Journal of Vegetation Science* 16: 613-616.
- van Ruijven, J., Berendse, F. (2005). Diversity-productivity relationships: Initial effects, long-term patterns and underlying mechanisms. *PNAS* 102: 695-700.
- van Ruijven, J., de Deyn, G.B., Raaijmakers, C.E., Berendse, F., van der Putten, W.H. (2005). Interactions between spatially separated herbivores indirectly alter plant diversity. *Ecology Letters* 8: 30-37. (Zie ook: *Science* 307: 183. Editors' Choice: Eats Roots or Shoots)
- Wamelink, G.W.W., Goedhart, P.W., van Dobben, H.F., Berendse, F. (2005). Plant species as predictors of soil pH: Replacing expert judgement with measurements. *Journal of Vegetation Science* 16: 461-470.
- Zijlstra, J.D., van 't Hof, P., Baar, J., Verkley, G.J.M., Summerbell, R.C., Paradi, I., Braakhekke, W.G., Berendse, F. (2005). Diversity of symbiotic root endophytes of the Helotiales in ericaceous plants and the grass *Deschampsia flexuosa*. *Studies in Mycology* 53: 147-162.
- Jongejans, E., de Kroon, H., Berendse, F. (2006). The interplay between shifts in biomass allocation and costs of reproduction in four grassland perennials under simulated successional change. *Oecologia* 147: 369-378.
- Limpens, J., Heijmans, M.M.D.P., Berendse, F. (2006). The nitrogen cycle in boreal peatlands. In: *Boreal Peatland Ecosystems* (eds. Wieder, R.K., Vitt, D.H.). *Ecological Studies* 188: 195-230.
- Verkaik, E., Jongkind, A.G., Berendse, F. (2006). Short-term and long-term effects of tannins on nitrogen mineralisation and litter decomposition in kauri (*Agathis australis* (D. Don) Lindl.) forests. *Plant and Soil* 287: 337-345.
- Verkaik, E., Berendse, F., Gardner, R.O. (2007). Low soil water and nutrient availability below New Zealand Kauri (*Agathis australis* (D. Don) Lindl.) trees increase the fitness of kauri seedlings. *Plant Ecology* 191: 163-170.
- Verhulst, J., Kleijn, D., Berendse, F. (2007). Direct and indirect effects of the two most widely implemented Dutch agri-environment schemes on breeding waders. *Journal of Applied Ecology* 44: 70-80.
- van Ruijven J., Berendse F. (2007). Contrasting effects of diversity on the temporal stability of plant populations. *Oikos* 116: 1323-1330.
- van Grunsven, R.H.A., van der Putten, W.H., Bezemer, T.M., Tamis, W.L.M., Berendse, F., Veenendaal, E.M. (2007). Reduced plant-soil feedback of plant species expanding their range as compared to natives. *Journal of Ecology* 95: 1050 - 1057.
- Neutel, A.M., Heesterbeek, J.A.P., van de Koppel, J., Hoenderboom, G., Vos, A., Kaldeway, C., Berendse, F., de Ruiter, P.C. (2007). Reconciling complexity with stability in naturally assembling food webs. *Nature* 449: 599 - 602.
- Schaepman, M.E., Wamelink, G.W.W., van Dobben, H.F., Gloor, M., Schaepman-Strub, G., Kooistra, L., Clevers, J.G.P.W., Schmidt, A., Berendse, F. (2007). River floodplain vegetation scenario development using imaging spectroscopy derived products as input variables in a dynamic vegetation model. *Photogrammetric Engineering and Remote Sensing* 73: 1179 - 1188.

- Veenendaal, E.M., Kolle, O., Leffelaar, P.A., Schrier-Uijl, A.P., van Huissteden, J., van Walsem, J., Möller, F., Berendse, F. (2007). CO<sub>2</sub> exchange and carbon balance in two grassland sites on eutrophic drained peat soils. *Biogeosciences* 4: 1027-1040.
- Breeuwer, A., Heijmans, M.M.P.D., Robroek, B.J.M., Berendse, F. (2008). The effect of temperature on growth and competition between *Sphagnum* species. *Oecologia* 156: 155 - 167.
- Heijmans, M.M.P.D., Mauquoy, D., van Geel, B., Berendse, F. (2008). Long-term effects of climate change on vegetation and carbon dynamics in peat bogs. *Journal of Vegetation Science* 19: 307 - 320.
- Limpens, J., Berendse, F., Blodau, C., Canadell, J.G., Freeman, C., Holden, J., Roulet, N., Rydin, H., Schaepman-Strub, G. (2008). Peatlands and the carbon cycle: from local processes to global implications - a synthesis. *Biogeosciences* 5: 1475-1491.
- Schrier-Uijl, A.P., Veenendaal, E.M., Leffelaar, P.A., van Huissteden, J.C., Berendse, F. (2008). Spatial and temporal variation of methane emissions in drained eutrophic peat agro-ecosystems: drainage ditches as emission hotspots. *Biogeosciences Discussions* 5: 1237 - 1261.
- Breeuwer, A., Heijmans, M., Robroek, B.J.M., Limpens, J., Berendse, F. (2008). The effect of increased temperature and nitrogen deposition on decomposition in bogs. *Oikos* 117: 1258-1268.
- Berendse, F., Scheffer, M. (2009). The angiosperm radiation revisited, an ecological explanation for Darwin's 'abominable mystery'. *Ecological Letters* 12: 865-872.
- Berendse, F., Möller, F. (2009). Effects of competition on root-shoot allocation in *Plantago lanceolata* L.: adaptive plasticity or ontogenetic drift? *Plant Ecology* 201: 567-573.
- van Ruijven, J., Berendse, F. (2009). Long-term persistence of a positive plant diversity-productivity relationship in the absence of legumes. *Oikos* 118: 101-106.
- Hofland-Zijlstra, J.D., Berendse, F. (2009). The effect of nutrient supply and light intensity on tannins and mycorrhizal colonisation in Dutch heathland ecosystems. *Plant Ecology* 201: 661-675.
- Granath, G., Strengbom, J., Breeuwer, A., Heijmans, M.M.P.D., Berendse, F., Rydin, H. (2009). Photosynthetic performance in *Sphagnum* transplanted along a latitudinal nitrogen deposition gradient. *Oecologia* 159: 705-715.
- Robroek, B.J.M., Schouten, M.G.C., Limpens, J., Berendse, F., Poorter, H. (2009). Interactive effects of water table and precipitation on net CO<sub>2</sub> assimilation of three co-occurring *Sphagnum* mosses differing in distribution above the water table. *Global Change Biology* 15: 680-691.
- Breeuwer, A., Robroek, B.J.M., Limpens, J., Heijmans, M.M.P.D., Schouten, M.G.C., Berendse, F. (2009). Decreased summer water table depth affects peatland vegetation. *Basic and Applied Ecology* 10: 330 - 339.
- Breeuwer, A., Heijmans, M.M.P.D., Gleichman, M., Robroek, B.J.M., Berendse, F. (2009). Response of *Sphagnum* species mixtures to increased temperature and nitrogen availability. *Plant Ecology* 204: 97-111.
- Neutel, A.M., Heesterbeek, J.A.P., van de Koppel, J., Hoenderboom, G., Vos, A., Kaldewey, C., Berendse, F., de Ruiter, P.C. (2009). ADDENDUM Reconciling complexity with stability in naturally assembling food webs (Nature (2007) 449: 599-602). *Nature* 458:110.
- Wamelink, G.W.W., van Dobben, H.F., Mol-Dijkstra, J.P., Schouwenberg, E.P.A.G., Kros, J., de Vries, W., Berendse, F. (2009). Effect of nitrogen deposition reduction on biodiversity and carbon sequestration. *Forest Ecology and Management* 258:1774-1779.
- Robroek, B.J.M., van Ruijven, J., Schouten, M.G.C., Breeuwer, A., Crushell, P.H., Berendse, F., Limpens, J. (2009). *Sphagnum* re-introduction in degraded peatlands: The effects of aggregation, species identity and water table. *Basic and Applied Ecology* 10:697-706.
- Wamelink, G.W.W., van Dobben, H.F., Berendse, F. (2009). Vegetation succession as affected by decreasing nitrogen deposition, soil characteristics and site management: A modelling approach. *Forest Ecology and Management* 258: 1762-1773.
- Breeuwer, A., Berendse, F., Willems, F., Foppen, R., Teunissen, W., Schekkerman, H., Goedhart, P. (2009). Do meadow birds profit from agri-environment schemes in Dutch agricultural landscapes? *Biological Conservation* 142: 2949-2953.
- Ruijven, J. van & Berendse, F. (2010). Diversity enhances community recovery, but not resistance, after drought. *Journal of Ecology* 98: 81-86.
- van Grunsven, R.H.A., van der Putten, W.H., Bezemer, T.M., Berendse, F., Veenendaal, E.M. (2010). Plant-soil interactions in the expansion and native range of a poleward shifting plant species. *Global Change Biology* 16: 380-385.
- Hofland-Zijlstra, J.D. & Berendse, F. (2010). Effects of litters with different concentrations of phenolics on the competition between *Calluna vulgaris* and *Deschampsia flexuosa*. *Plant and Soil* 327: 131-141.
- Pierik, M., Ruijven, J. van, Bezemer, T.M. & Berendse, F. (2010). Travelling to a former sea floor: colonization of forests by understorey plant species on land recently reclaimed from the sea. *Journal of Vegetation Science* 21: 167-176.

- Verkley, G.J.M., Hofland-Zijlstra, J.D. & Berendse, F. (2010). *Rhizodermea veluwensis* (Fungal Planet 46). *Persoonia* 24: 130-131.
- Blok, D., Heijmans, M.M.P.D., Schaepman-Strub, G., Kononov, A.V., Maximov, T.C. & Berendse, F. (2010). Shrub expansion may reduce summer permafrost thaw in Siberian tundra. *Global Change Biology*, 16: 1296-1305.
- Dias, A.A., Ruijven, J. van & Berendse, F. (2010). Plant species richness regulates soil respiration through changes in productivity. *Oecologia*, 163: 805-813.
- Breeuwer, A.J.G., Heijmans, M.M.P.D., Robroek, B.J.M. & Berendse, F. (2010). Field Simulation of Global Change: Transplanting Northern Bog Mesocosms Southward. *Ecosystems* 13: 712-726.
- Mommer, L., Ruijven, J. van, Berendse, F. & Ouborg, N.J. (2010). Unveiling below-ground species abundance in a biodiversity experiment: a test of vertical niche differentiation among grassland species. *Journal of Ecology* 98: 1117-1127.
- Schrier-Uijl, A.P., Kroon, P.S., Hensen, A., Leffelaar, P.A., Berendse, F. & Veenendaal, E.M. (2010). Comparison of chamber and eddy covariance-based CO<sub>2</sub> and CH<sub>4</sub> emission estimates in a heterogeneous grass ecosystem on peat. *Agricultural and Forest Meteorology* 150: 825-831.
- Schrier-Uijl, A.P., Kroon, P.S., Leffelaar, P.A., Huissteden, J.C. van, Berendse, F. & Veenendaal, E.M. (2010). Methane emissions in two drained peat agro-ecosystems with high and low agricultural intensity. *Plant and Soil* 329: 509-520.
- Geiger, F., Bengtsson, J., Berendse, F., Weisser, W.W., Emmerson, M., Morales, M.B., Ceryngier, P., Liira, J., Tschardtke, T., Winqvist, C., Eggers, S., Bommarco, R., Pärt, T., Bretagnolle, V., Plantegenest, M., Clement, L.W., Dennis, C., Palmer, C., Oñate, J.J., Guerrero, I., Hawro, V., Aavik, T., Thies, C., Flohre, A., Hänke, S., Fischer, C., Goedhart, P.W. & Inchausti, P. (2010). Persistent negative effects of pesticides on biodiversity and biological control potential on European farmland. *Basic and Applied Ecology* 11: 97-105.
- Geiger, F., Bengtsson, J., Berendse, F., Weisser, W.W., Emmerson, M., Morales, M.B., Ceryngier, P., Liira, J., Tschardtke, T., Winqvist, C., Eggers, S., Bommarco, R., Pärt, T., Bretagnolle, V., Plantegenest, M., Clement, L.W., Dennis, C., Palmer, C., Oñate, J.J., Guerrero, I., Hawro, V., Aavik, T., Thies, C., Flohre, A., Hänke, S., Fischer, C., Goedhart, P.W. & Inchausti, P. (2011). Erratum to “Persistent negative effects of pesticides on biodiversity and biological control potential on European farmland” [Basic Appl. Ecol. 11 (2010) 97–105]. *Basic and Applied Ecology*, 12: 386-387.
- Geiger, F., Snoo, G.R. de & Berendse, F. (2010). Landscape composition influences farm management effects on farmland birds in winter: A pan-European approach. *Agriculture, Ecosystems and Environment* 139: 571-577.
- Flohre, A., Fischer, C., Aavik, T., Bengtson, J., Berendse, F. & Geiger, F. (2011). Agricultural intensification and biodiversity partitioning in European landscapes comparing plants, carabids, and birds. *Ecological Applications* 21: 1772-1781.
- Blok, D., Sass-Klaassen, U., Schaepman-Strub, G., Heijmans, M.M.P.D., Sauren, P. & Berendse, F. (2011). What are the main climate drivers for shrub growth in Northeastern Siberian tundra? *Biogeosciences* 8: 1169-1179.
- Blok, D., Heijmans, M.M.P.D., Schaepman-Strub, G., Ruijven, J. van, Parmentier, F.J.W., Maximov, T.C. & Berendse, F. (2011). The Cooling Capacity of Mosses: Controls on Water and Energy Fluxes in a Siberian Tundra Site. *Ecosystems*, 14: 1055-1065.
- Blok, D., Schaepman-Strub, G., Bartholomeus, H.M., Heijmans, M.M.P.D., Maximov, T.C. & Berendse, F. (2011). The response of Arctic vegetation to the summer climate: relation between shrub cover, NDVI, surface albedo and temperature. *Environmental Research Letters*, 6: 35502-35510
- Guerrero, I., Morales, M.B., Oñate, J.J., Aavik, T., Bengtsson, J., Berendse, F. & Geiger, F. (2011). Taxonomic and functional diversity of farmland bird communities across Europe: effects of biogeography and agricultural intensification. *Biodiversity and Conservation*, 20: 3663-3681.
- Pierik, M., Ruijven, J. van, Bezemer, T.M., Geerts, R.H.E.M. & Berendse, F. (2011). Recovery of plant species richness during long-term fertilization of a species rich grassland. *Ecology* 92:1393-1398.
- Schrier-Uijl, A.P., Veraart, A.J., Leffelaar, P.A., Berendse, F. & Veenendaal, E.M. (2011). Release of CO<sub>2</sub> and CH<sub>4</sub> from lakes and drainage ditches in temperate wetlands. *Biogeochemistry* 102: 265-279.
- Verhulst, J., Kleijn, D., Loonen, W., Berendse, F. & Smit, C. (2011). Seasonal distribution of meadow birds in relation to in-field heterogeneity and management. *Agriculture, Ecosystems and Environment*, 142: 161-166.
- Vos, V.C.A., Ruijven, J. van, Berg, M.P., Peeters, E.T.H.M. & Berendse, F. (2011). Macro-detritivore identity drives leaf litter diversity effects. *Oikos* 120: 1092-1098.
- Winqvist, C., Bengtsson, J., Aavik, T., Berendse, F., Clement, L.W., Eggers, S., Fischer, C., Flohre, A., Geiger, F. & Liira, J. (2011). Mixed effects of organic farming and landscape complexity on farmland biodiversity and biological control potential across Europe. *Journal of Applied Ecology* 48: 570-579.

- Geiger, F., Bengtsson, J., Berendse, F., Weisser, W.W., Emmerson, M., Morales, M.B., Ceryngier, P., Liira, J., Tschardtke, T., Winqvist, C., Eggers, S., Bommarco, R., Pärt, T., Bretagnolle, V., Plantegenest, M., Clement, L.W., Dennis, C., Palmer, C., Oñate, J.J., Guerrero, I., Hawro, V., Aavik, T., Thies, C., Flohre, A., Hänke, S., Fischer, C., Goedhart, P.W., Inchausti, P. (2011). Erratum to "Persistent negative effects of pesticides on biodiversity and biological control potential on European farmland" [Basic Appl. Ecol. 11: 97-105 (2010)] Basic and Applied Ecology, 12: 386-387.
- Guerrero, I., Morales, M.B., Oñate, J.J., Geiger, F., Berendse, F., Snoo, G.D., Eggers, S., Pärt, T., Bengtsson, J., Clement, L.W., Weisser, W.W., Olszewski, A., Ceryngier, P., Hawro, V., Liira, J., Aavik, T., Fischer, C., Flohre, A., Thies, C., Tschardtke, T. (2012). Response of ground-nesting farmland birds to agricultural intensification across Europe: Landscape and field level management factors. Biological Conservation 152: 74-80.
- Vos, V.C.A., van Ruijven, J., Berg, M.P., Peeters, E.T.H.M., Berendse, F. (2013). Leaf litter quality drives litter mixing effects through complementary resource use among detritivores. Oecologia 173: 269-280.
- van Dijk, W.F.A., Schaffers, A.P., Leewis, L., Berendse, F., de Snoo, G.R. (2013). Temporal effects of agri-environment schemes on ditch bank plant species. Basic and Applied Ecology 14: 289-297.
- de Mazancourt, C., Isbell, F., Larocque, A., Berendse, F., De Luca, E., Grace, J.B., Haegeman, B., Wayne Polley, H., Roscher, C., Schmid, B., Tilman, D., van Ruijven, J., Weigelt, A., Wilsey, B.J., Loreau, M. (2013). Predicting ecosystem stability from community composition and biodiversity. Ecology Letters 16: 617-625.
- Kuiper, M.W., Ottens, H.J., Cenin, L., Schaffers, A.P., van Ruijven, J., Koks, B.J., Berendse, F., de Snoo, G.R. (2013). Field margins as foraging habitat for skylarks (*Alauda arvensis*) in the breeding season. Agriculture, Ecosystems and Environment 170: 10-15.
- Limpens, J., Holmgren, M., Jacobs, C.M.J., Van Der Zee, S.E.A.T.M., Karofeld, E., Berendse, F. (2014). How does tree density affect water loss of peatlands? A mesocosm experiment. PLoS ONE 9: art. no. e91748.
- Van Dijk, W.F.A., Van Ruijven, J., Berendse, F., de Snoo, G.R. (2014). The effectiveness of ditch banks as dispersal corridor for plants in agricultural landscapes depends on species' dispersal traits. Biological Conservation 171: 91-98.
- Handa, I.T., Aerts, R., Berendse, F., Berg, M.P., Bruder, A., Butenschoen, O., Chauvet, E., Gessner, M.O., Jabiol, J., Makkonen, M., McKie, B.G., Malmqvist, B., Peeters, E.T.H.M., Scheu, S., Schmid, B., Van Ruijven, J., Vos, V.C.A., Hättenschwiler, S. (2014). Consequences of biodiversity loss for litter decomposition across biomes. Nature 509: 218-221.
- Nijp, J.J., Limpens, J., Metselaar, K., van der Zee, S.E.A.T.M., Berendse, F., Robroek, B.J.M. (2014). Can frequent precipitation moderate the impact of drought on peatmoss carbon uptake in northern peatlands? New Phytologist, 203: 70-80.
- Van Geffen, K.G., Van Grunsven, R.H.A., Van Ruijven, J., Berendse, F., Veenendaal, E.M. (2014). Artificial light at night causes diapause inhibition and sex-specific life history changes in a moth. Ecology and Evolution 4: 2082-2089.
- van Grunsven, R.H.A., Donners, M., Boekee, K., Tichelaar, I., van Geffen, K.G., Groenendijk, D., Berendse, F., Veenendaal, E.M. (2014). Spectral composition of light sources and insect phototaxis, with an evaluation of existing spectral response models. Journal of Insect Conservation, 18: 225-231.
- Geiger, F., Hegemann, A., Gleichman, M., Flinks, H., de Snoo, G.R., Prinz, S., Tieleman, B.I., Berendse, F. (2014). Habitat use and diet of Skylarks (*Alauda arvensis*) wintering in an intensive agricultural landscape of the Netherlands. Journal of Ornithology, 155: 507-518.
- Cong, W., Ruijven, J. van, Mommer, L., Deyn, G.B. de, Berendse, F. & Hoffland, E. (2014). Plant species richness promotes soil carbon and nitrogen stocks in grasslands without legumes. Journal of Ecology 102: 1163-1170.
- Cornelissen, P., Bokdam, J., Sykora, K., Berendse, F. (2014). Effects of large herbivores on wood pasture dynamics in a European wetland system. Basic and Applied Ecology, 15: 396-406.
- Schrier-Uijl, A.P., Kroon, P.S., Hendriks, D.M.D., Hensen, A., Van Huissteden, J., Berendse, F., Veenendaal, E.M. (2014). Agricultural peatlands: Towards a greenhouse gas sink - A synthesis of a Dutch landscape study Biogeosciences, 11: 4559-4576.
- Schrier-Uijl, A.P., Kroon, P.S., Hendriks, D.M.D., Hensen, A., Van Huissteden, J., Leffelaar, P.A., Berendse, F., Veenendaal, E.M. (2014). Erratum: Agricultural peatlands: Towards a greenhouse gas sink - A synthesis of a Dutch landscape study. Biogeosciences (2014) 11 (4559-4576) (2014). Biogeosciences, 11: 4635.

- Ottens, H.J., Kuiper, M.W., Flinks, H., Van Ruijven, J., Siepel, H., Koks, B.J., Berendse, F., De Snoo, G.R. (2014). Do field margins enrich the diet of the eurasian skylark *Alauda arvensis* on intensive farmland? *Ardea* 102: 161–171.
- Nauta, A.L., Heijmans, M.M.P.D., Blok, D., Limpens, J., Elberling, B., Gallagher, A., Li, B., Petrov, R.E., Maximov, T.C., van Huissteden, J., Berendse, F. (2014). Permafrost collapse after shrub removal shifts tundra ecosystem to a methane source. *Nature Climate Change* 5: 67–70.
- Cong, W.-F., van Ruijven, J., van der Werf, W., De Deyn, G.B., Mommer, L., Berendse, F., Hoffland, E. Plant species richness leaves a legacy of enhanced root litter-induced decomposition in soil (2015) *Soil Biology and Biochemistry* 80: 341–348.
- van Dijk, W.F.A., Lokhorst, A.M., Berendse, F., de Snoo, G.R. (2015). Collective agri-environment schemes: How can regional environmental cooperatives enhance farmers' intentions for agri-environment schemes? *Land Use Policy* 42: 759–766.
- Winqvist, C., Bengtsson, J., Öckinger, E., Aavik, T., Berendse, F., Clement, L.W., Fischer, C., Flohre, A., Geiger, F., Liira, J., Thies, C., Tschantke, T., Weisser, W.W., Bommarco, R. (2014). Species' traits influence ground beetle responses to farm and landscape level agricultural intensification in Europe. *Journal of Insect Conservation*
- Dijk, W.F.A. van, Lokhorst, A.M., Berendse, F. & Snoo, G.R. de (2014). Collective agri-environment schemes: How can regional environmental cooperatives enhance farmers' intentions for agri-environment schemes? *Land Use Policy* 42: 759-766
- Berendse, F., Ruijven, J. van, Jongejans, E. & Keesstra, S.D. (2015). Loss of Plant Species Diversity Reduces Soil Erosion Resistance. *Ecosystems* 18: 881-888.
- Geffen, K.G. van, Eck, E. van, Boer, R. de, Grunsven, R.H.A. van, Salis, F., Berendse, F. & Veenendaal, E.M. (2015). Artificial light at night inhibits mating in a Geometrid moth. *Insect Conservation and Diversity* 8: 282-287.
- Mommer, L., Padilla, F.M., Ruijven, J. van, Caluwe, H. de, Smit-Tiekstra, A.E., Berendse, F. & Kroon, H. de (2015). Diversity effects on root length production and loss in an experimental grassland community (online first). *Functional Ecology*. 10.1111/1365-2435.12466
- Nijp, J.J., Limpens, J., Metselaar, K., Peichl, M., Nilsson, M., Zee, S.E.A.T.M. van der & Berendse, F. (2015). Rain events decrease boreal peatland net CO<sub>2</sub> uptake through reduced light availability. *Global Change Biology* 21: 23309-2320.
- Spoelstra, K., Grunsven, R.H.A. van, Donners, M., Huijgens, T., Slaterus, R., Berendse, F., Visser, M.E. & Veenendaal, E.M. (2015). Experimental illumination of natural habitat - an experimental set-up to assess the direct and indirect ecological consequences of artificial light of different spectral composition. *Philosophical Transactions of the Royal Society. Series B, Biological Sciences*, 370: 20140129. 10.1098/rstb.2014.0129



## Overige tijdschriften:

- Berendse, F., Dirkse, G., De Graaff, G., Loode, W. (1973). Broedvogeltellingen in de Gelderse Vallei. *De Levende Natuur* 74: 252-260.
- Berendse, F. (1973). Enkele botanische en ornithologische opmerkingen over de landgoederen Erica en Groot-Bylaer in de jaren 1967 t/m 1971. *Te Velde* 1: 15-20.
- Berendse, F., Dirkse, G. (1973). Vegetatie en flora van het schraalland De Bunt in 1971, 1972 en 1973. *Te Velde* 1: 12-14.
- van Laar, V., Berendse, F. (1973). Verspreiding en voorkomen van zoogdieren, reptielen en amfibieën in het CRM-reservaat Groot-Zandbrink. *Te Velde* 1: 1-8.
- Berendse, F., Dirkse, G. (1974). Flora en vegetatie van de schietlanen in bosjes langs de Vossenweg (Barneveld). *Te Velde* 4: 1-3.
- Berendse, F., Dirkse, G., Van Dijk, J.J.A., Resing, W. (1975). Een onderzoek naar de broedvogelbevolking van het noordelijke deel van de Gelderse Vallei. *Te Velde* 7: 1-48.
- Berendse, F. (1977). Een vogelinventarisatie van de polder Zeldert. *Te Velde* 11: 7-10.
- Berendse, F., Dirkse, G. (1977). Verspreidbladig goudveil, *Chrysosplenium alternifolium* in de Gelderse Vallei. *Te Velde* 13: 1-2.
- Berendse, F., van de Hoef, B. (1979). Watervogeltellingen langs het Nijkerker- en Nuldernauw: een vergelijking tussen vier winterhalfjaren. *Te Velde* 18: 5-23.
- Berendse, F., Kwant, R. (1984). Een wiskundig model voor de heide. *Tijdschrift Kon. Ned. Heide Mij. november*: 371-374.
- Berendse, F. (1986). Stikstofmineralisatie en strooiselproductie in voedselarme oecosystemen. *Vakblad voor Biologen* 66: 430-433.
- Berendse, F. (1988). Een perspectief voor systeem- en landschapsoecologisch onderzoek. *Biovisie Magazine* 2: 29-33.
- van der Meer, H.G., Berendse, F. (1990). Nutriëntenoverschotten onevenredig groot. *Landbouwkundig Tijdschrift* 102: 30-31.
- Olff, H., Berendse, F., Verkaar, D., van Wirdum, G. (1995). Modellerings van vegetatiesuccessie. *Landschap* 12: 69-82.
- Arp, W., Berendse, F., de Kovel, C. (1997). Effects of global change on plant species composition. *Change* 34: 12-15.
- Kleijn, D., Berendse, F., Boekhoff, M., Ottburg, F., Gleichman, J.M. (1999). De effectiviteit van agrarisch natuurbeheer: evaluatie van natuurwinst door beheersovereenkomsten in de polders Westbroek en Maarsseveen. *Landschap* 16: 227-235.
- van Oene, H., Berendse, F., Arp, W.J., Alkemade, J.R.M. (2000). Veranderingen op de Veluwe. Simulatie van veranderingen in ecosysteemprocessen en botanische diversiteit op regionale schaal. *Landschap* 17: 65-80.
- van Oene, H., Berendse, F., Arp, W.J., Alkemade, J.R.M. (2000). Toetsing van ecologische modellen. *Landschap* 17: 197-200.
- Mauquoy, D., van Geel, B., Blaauw, M., van der Plicht, J., Berendse, F. (2001). North-West European bogs show that Little Ice Age climate changes may have been driven by changes in solar activity. *Change* 59: 14-16.
- van Oene, H., Burgerhart, N., Berendse, F. (2001). Inundation of reclaimed gen areas reduces greenhouse gas emissions and creates new nature reserves. *Change* 59: 12-14.
- Kleijn, D., Berendse, F., Smit, R. (2002). Agrarisch natuurbeheer leidt niet tot verbetering natuur. *Geografie* 11: 28-30.
- Berendse, F., Jansen, A. (2002). Veerman is een ramp voor de natuur. *Trouw* 12 november. p. 16.
- Berendse, F., Jansen, A., van der Maarel, E. (2003). De natuur in beweging: verarming en herstel van biodiversiteit. *Stedenbouw en Ruimtelijke Ordening* 48: 18-27.
- Berendse, F. (2003). Hoe groot moet een natuurgebied zijn? *De Levende Natuur* 104: 250-253.
- Berendse, F. (2003). Boeken Top 3. *Natuur & Techniek* (juni 2003). p. 74.
- Berendse, F. (2003). Die goeie ouwe tijd. *De Braakbal* 5: 8.
- Berendse, F. (2004). In memoriam Prof. Dr. M.F. Mörzer Bruyns. *De Levende Natuur*.
- Berendse, F., Verhulst, J., Willems, R., Breeuwer, A.J.G., Foppen, R., Kleijn, D. (2006). De effectiviteit van het Nederlandse weidevogelbeleid. *De Levende Natuur* 107: 112-117.
- Berendse, F. (2008). De Stichting Bijzondere Leerstoelen Natuurbeheer: een terugblik. *De Levende Natuur* 109: 63 - 64.
- Gleichman, M., de Nijs, L., Berendse, F. (2009). Veranderingen in avifauna en flora van de noordelijke Gelderse Vallei. *De Levende Natuur* 110: 346-351.

- Berendse, F. & Geiger, F. (2013). Pesticiden en biodiversiteit in het Europese landbouwbeleid. *Entomologische Berichten*: 73: 132-135.
- Berendse, F. (2012). Natuurbeleid in Nederland. *Openbaar Bestuur* 2012: 16-21.
- Berendse, F., Leeuwen, B. van, Arts, B.J.M., Bade, T. & Kuks, S.M.M. (2013). Onbeperkt houdbaar: advies voor een nieuw natuurbeleid in Nederland. *De Levende Natuur* 114: 74-83.
- Berendse, F., Bos, J.F.F.P. & Piersma, T. (05-01-2013). Landbouw snijdt zichzelf in de vingers met de pleidooien voor verdere schaalvergroting. *Het Financieel Dagblad* p. 20 (05-01-2013).
- Vullings, L.A.E., Berendse, F., Franke, G.J. & Landegent, R. (2014). Met een app de natuur beleven. *Landschap* 31: 158-159.

## Boeken en bijdragen aan boeken:

- Maas, P.R., Berendse, F., Beltman, B. (1979). Littekens van de ijstijd. In: Spectrum Atlas van de Nederlandse Landschappen. Het Spectrum, Utrecht/Antwerpen. p. 194-209.
- Berendse, F., Elberse, W.Th. (1989). Competition and nutrient losses from the plant. In: Causes and consequences of variation in growth rate and productivity of higher plants (eds. H. Lambers et al.). SPB Academic Publishing, The Hague. p. 269-284.
- Berendse, F. (1988). Een simulatiemodel als hulpmiddel bij het beheer van vochtige heidevelden. CABO, Wageningen. 51 p.
- Berendse, F. red. (1990). Natuurontwikkeling en Landbouw. Agrobiologische Thema's 1: 1-96. CABO, Wageningen.
- Berendse, F., Oomes, M.J.M. (1990). Natuurontwikkeling in landbouwgebieden: probleemstelling en onderzoeksprogramma. In: Natuurontwikkeling en Landbouw (ed. Berendse, F.). CABO, Wageningen. Agrobiologische Thema's 1: 9-21.
- Berendse, F., Elberse, W.Th. (1990). Competition and nutrient availability in heathland and grassland ecosystems. In: Perspectives on Plant Competition (eds. Grace, J., Tilman, D.). Academic Press, Florida, Orlando. p. 93-115.
- Berendse, F., Oomes, M.J.M., Altena, H.J., Elberse, W.Th. (1991). Restoration of species-rich grassland communities. In: Terrestrial and aquatic ecosystems: perturbation and recovery (ed. Ravera O.). Ellis Horwood. p. 456-463.
- Heil, G.W., Berendse, F., Bakema, A.H. (1991). Scenario analyses using the Dutch Acidification Systems Model: Effects on heathlands. In: Acidification Research in the Netherlands (eds. Heij, G.J., Schneider, T.). Elsevier, Amsterdam. Studies in Environmental Science 46: 191-199.
- Berendse, F., Jonasson, S. (1992). Nutrient use and nutrient cycling in northern ecosystems. In: Arctic ecosystems in a changing climate (eds. Chapin, F.S., Jefferies, R.L., Reynolds, J.F., Shaver, G.R., Svoboda, J.). Academic Press, Inc., San Diego, California. p. 337-356.
- Best, E.P.H., Oomes, M.J.M., Berendse, F. (1992). De stikstofkringloop in een niet bemest graslandecosysteem: effecten van ingrepen in hydrologie en natuurbeheer. In: Stikstofstromen in agroecosystemen (eds. van der Meer, H.G., Spiertz, J.H.J.). CABO, Wageningen. Agrobiologische Thema's 6: 19-32.
- Berendse, F. (1993). Ecosystem stability, competition and nutrient cycling. In: Biodiversity and Ecosystem Function (eds. Schulze, E.-D., Mooney, H.A.). Springer Verlag, Heidelberg. Ecological Studies 99: 409-431.
- Berendse, F., Aerts, R., Bobbink, R. (1993). Atmospheric nitrogen deposition and its impact on terrestrial ecosystems. In: Landscape ecology of a stressed environment (eds. Vos, C.C., Opdam, P.). Chapman & Hall, London. p. 104-121.
- van de Geijn, S.C., Goudiaan, J., Berendse, F. (1993). Climate change: crops and terrestrial ecosystems. Agrobiologische Thema's 9: 1-144.
- Arp, W., Berendse, F. (1993). Plant growth and nutrient cycling in nutrient-poor ecosystems. In: Climate Change: crops and terrestrial ecosystems (eds. van de Geijn, S.C. et al.). Agrobiologische Thema's 9: 109-123.
- Berendse, F. (1994). Evaluatie van het natuurbeleid: coreferaat. In: Om de toekomst van de landbouw. Landbouww universiteit Wageningen. Beleid en universiteit 5: 26-29.
- Berendse, F. (1994). Natuur in beweging. Wageningen, Landbouww universiteit. Inaugurele Rede Landbouww universiteit Wageningen, 17 november 1994.
- van de Geijn, S.C., Berendse, F. et al. (1995). Effects of climate change on terrestrial ecosystems. In: Climate change research: evaluation and policy implications (eds. Zwerver, S., van Rompaey, R.S.A.R., Kok, M.J.T., Berk, M.M.). Elsevier Science BY., Amsterdam. p. 677-706.
- Berendse, F., Braakhekke, W., van der Krift, T. (1998). Adaptations of plant populations to nutrient-poor environments and their implications for soil nutrient mineralization. In: Inherent variation in plant growth. Physiological mechanisms and ecological consequences (eds. Lambers, H., Poorter, H., van Vuuren, M.M.I.). Backhuys Publishers, Leiden. p. 503-514.
- Alkemade, J.R.M., Bakkenes, M., Ihle, F., Latour, J.B., Leemans, R., Berendse, F. (1998). The effects of climate change on Europe's biodiversity: modelling trends with the EUROMOVE model. In: Facts and figures on Europe's biodiversity: state and trends (ed. Delbaere, B.C.W.). ECNC, Tilburg. p. 18-19.
- Berendse, F., de Kroon, H., Braakhekke, W. (1999). Acquisition, use, and loss of nutrients. In: Functional Plant Ecology (eds. Pugnaire, F.I., Valladares, F.). Marcel Dekker, New York. p. 315-345.
- van Oene H., Berendse, F., Persson, T., Harrison, A.F., Schulze, E.-D., Andersen, B.R., Bauer, G.A., Dambrine, E., Högberg, P., Matteucci, G., Paces, T. (2000). Model analysis of carbon and nitrogen

- cycling in *Picea* and *Fagus* forests. In: Carbon and nitrogen cycling in European forest ecosystems (ed. Schulze, E.-D.). Springer Verlag, Heidelberg. Ecological Studies 142: 419-467.
- Berendse, F. (2003). De natuur van het verleden of de natuur van de toekomst ....? Vijfde Victor Westhoff-lezing, Nijmegen. University Press, Nijmegen.
  - Berendse, F. (2005). Ecology of Communities, Ecosystems and Landscapes. Wageningen Universiteit. 144 p.
  - Berendse, F., de Kroon, H., Braakhekke, W. (2007). Acquisition, use and loss of nutrients. In: Functional Plant Ecology (2nd edition) (eds. Pugnaire, F.I., Valadares, F.). CRC Press, London. p. 259-283.
  - Hofland-Zijlstra, J.D. & Berendse, F. (2009). The effect of nutrient supply and light intensity on tannins and mycorrhizal colonisation in Dutch heathland ecosystems. In: Herbaceous Plant Ecology. Netherlands: Springer. p. 297-311.
  - Berendse, F. (2011). Natuur in Nederland. KNNV Uitgeverij, Zeist, Nederland. 307 p.
  - Berendse, F. & Verharen, E. (2011). [www.natuurinnederland.nl](http://www.natuurinnederland.nl)
  - Landegent, R., Franke, J. & Berendse, F. (2012). App Natuur in Nederland. Wageningen University.
  - Berendse, F., van Donk, E., van Everdingen, J.J.E. & Buiters, R. (redactie) (2015). Klimaatverandering. Cahiers Maatschappij en Biowetenschappen: 34<sup>ste</sup> jaargang, Cahier 3.

## Rapporten:

- Berendse, F. (1974). Over de biologische en landschappelijke betekenis van het noordelijke deel van de Gelderse Vallei en de polder Arkemheen. Verslag afstudeervak, Landbouwhogeschool Wageningen.
- Berendse, F. (1976). Concurrentie en vermindering van concurrentie tussen margriet (*Chrysanthemum leucanthemum*) en smalle weegbree (*Plantago lanceolata*). Verslag afstudeervak, Landbouwhogeschool Wageningen.
- Olff, H., Berendse, F., Best, E.P.H., van Wirdum G. (1992). Deelprogramma natuurontwikkeling: een verkenning van modellen. Rapport Instituut voor Bos- en Natuuronderzoek, Wageningen.
- Jenkins, A., Wright, R.F., Berendse, F., van Breemen, N., Brussaard, L., Schulze, E.D., Woodward, F.I. (1993). The CLIMEX project - Climate Change Experiment. In: Experimental manipulations of biota and biogeochemical cycling in ecosystems (eds. Rasmussen, L., Brydges, T., Mathy, P.). Ecosystem Research Reports 4, Commission of the European Community, Bruxelles.
- Grootjans, A.P., Lammerts, E. J., van Beusekom, F., Berendse, F., Dijk, E., Ernst, W.H.O. (1995). Kalkrijke duinvalleien op de Waddeneilanden: ecologie en regeneratiemogelijkheden. KNNV uitgeverij, Utrecht. 176 p.
- van Oene, H., Berendse, F., Alkemade, J.R.M., Bakkenes, M., Ihle, F., de Kovel, C.G.F. (1999). Assessment of long-term effects of climate change on biodiversity and vulnerability of terrestrial ecosystems. Dutch National Research Programme on Global Air Pollution and Climate Change. report no. 410200032, Bilthoven. 168 p.
- de Kovel, C.G.F., van Mierlo, J.E.M., Wilms, Y.J.O., Berendse, F. (1999). Carbon and nitrogen in soil and vegetation at sites differing in successional age. In: Assessment of long term effects of climate change on biodiversity and vulnerability of terrestrial ecosystems (ed. van Oene, H.). Wageningen. p. 73-88.
- van Oene, H., Arp, W.J., Berendse, F., Alkema, J.R.M., Bakkenes, M., Ihle, F. (1999). Simulated effects of environmental change on ecosystem processes and plant species diversity at a regional scale. In: Assessment of long term effects of climate change on biodiversity and vulnerability of terrestrial ecosystems (ed. van Oene, H.). Wageningen. p.123-159.
- van Oene, H., Berendse, F., de Kovel, C.G.F. (1999). Model Analysis of the effects of historic CO<sub>2</sub> levels and nitrogen inputs on vegetation succession. In: Assessment of long term effects of climate change on biodiversity and vulnerability of terrestrial ecosystems (ed. van Oene, H.). Wageningen. p. 89-122.
- Wamelink, G.W.W., Mol-Dijkstra, C.J.P., van Dobben, H.F., Kros, H., Berendse, F. (2000). Eerste fase van de ontwikkeling van het successiemodel SUMO 1. Verbetering van de vegetatiemodellering in de Natuurplanner. Rapport 045. Alterra, Wageningen, 84 p.
- Kleijn, D., Berendse, F., Smit, R., Gilissen, N., Brak, B., Smit, J., Groeneveld, R. (2001). Evaluatie van de effectiviteit van beheersovereenkomsten in Nederland. Rapport Leerstoelgroep Natuurbeheer en Plantenecologie. Wageningen Universiteit, Wageningen. 55 p.
- van Oene, H., Ellis, W.N., Heijmans, M.M.P.D., Mauquoy, D., Tamis, W.L.M., van Vliet, A.J.H., Berendse, F., van Geel, B., van der Meijden, R., Ulenberg, S.A. (2001). Long-term effects of climate change on biodiversity and ecosystem processes. Dutch National Research Programme on Global Air Pollution and Climate Change, Bilthoven. reportnr.410 200 089. 306 p.
- Wamelink, G.W.W., van Oene, H., Mol-Dijkstra, J.P., Kros, J., van Dobben, H.F., Berendse, F. (2001). Validatie van de modellen SMART2, SUMO1, NUCOM en MOVE op site-, regionaal en nationaal niveau. Alterra, Wageningen. rapportnr 065. 120 p.
- Tomassen, H., Smolders, F., Limpens, J., Duinen, G.J., van der Schaaf, S., Roelofs, J., Berendse, F., Esselink, H., van Wirdum, G. (2003). Onderzoek ten behoeve van herstel en beheer van Nederlandse hoogvenen: eindrapportage 1998-2001. Expertisecentrum LNV, Ede. rapport 2003/139. 186 p.
- Willems, F., Breeuwer, A., Foppen, R., Teunissen, W., Schekkerman, H., Goedhart, P., Kleijn, D., Berendse, F. (2004). Evaluatie agrarisch natuurbeheer: effecten op weidevogeldichtheden. SOVON, Beek-Ubbergen. 29 p.
- Kleijn, D., Berendse, F., Verhulst, J., Roodbergen, M., Klok, C., van 't Veer, R. (2008). Ruimtelijke dynamiek van weidevogelpopulaties in relatie tot de kwaliteit van de broedhabitat. Welke factoren beïnvloeden de vestiging van weidevogels? Ministerie van LNV, Directie Kennis, Ede. Rapport DK 2008/091. 37p.
- Braakhekke, W.G., Berendse, F., Jong, M.J. de, Kreveld, A. & Winden, A. van (2014). Klimaatverandering en natuur : een verkenning van risico's, kansen en aangrijpingspunten voor klimaatadaptatiebeleid. Advies aan Ministerie I&M, Uitgave Bureau Strooming.



